	Application No.	Applicant(s)	
	09/831,901	TAKADA, KANJI	
Notice of Allowability	Examiner	Art Unit	
	Isis Ghali	1615	
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R	(OR REMAINS) CLOSED in or other appropriate communication is s	this application. If not included nication will be mailed in due course. THIS	
1. This communication is responsive to <u>01/20/06</u> .			
2. X The allowed claim(s) is/are <u>1-8,10-18,20,21 and 23-25</u> .			
 3. ★ Acknowledgment is made of a claim for foreign priority unanal All b) Some* c) None of the: 1. ★ Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	e been received. e been received in Applicatio	n No	Э
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		a reply complying with the requirements	
4. A SUBSTITUTE OATH OR DECLARATION must be subminformal PATENT APPLICATION (PTO-152) which give			
 CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner' Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the state of the property of the sheet in t	son's Patent Drawing Review . s Amendment / Comment or .84(c)) should be written on th	in the Office action of see drawings in the front (not the back) of	
6. DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT			
7. A The drawings filed 05/25/ol require Draftsperson's Patent Drawing Review (submitted including the changes.	correction as inc PTO-948). Corre I.G. 4/17/06	licated by attached "Notice cted drawing sheets) must	of be
Attachment(s)	5 □ Notice of Int	formal Datent Application (DTO 152)	
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) 	<u> </u>	formal Patent Application (PTO-152) Immary (PTO-413),	
	Paper No./	Mail Date <u>04/17/06</u> .	
 Information Disclosure Statements (PTO-1449 or PTO/SB/C Paper No./Mail Date Examiner's Comment Regarding Requirement for Deposit 		Amendment/Comment Statement of Reasons for Allowance	
of Biological Material	9.	Tais Ghali	
		Isis Ghali Ins Ghali TC 1600 4/17/06	

Application/Control Number: 09/831,901 Page 2

Art Unit: 1615

The receipt is acknowledged of applicants' amendment and remarks filed January 20, 2006.

Claims 1-8, 10-18 and 20-25 are pending.

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Arnold Turk on April 17, 2006.

The application has been amended as follows:

- In claim 1, line 10, delete the phrase "may attach" between the word "layer" and the word "to" and insert the phrase --- is attached ---.
- Cancel claim 22.

Allowable Subject Matter

2. The following is an examiner's statement of reasons for allowance: none of US '478 and US '105 teach the three-layered oral formulation that comprises a layer to be attached to the mucosa and made of enteric polymer, a drug containing-layer, and a

Page 3

Art Unit: 1615

protective layer structured and arranged for preventing digestive juice from permeating into the drug carrying layer. In addition, none of the cited references teach that the enteric polymer layer (adhesion site-controlling layer) and the protective layer are attached to protect the drug-containing layer. US '478 teaches the outer layer slows the release of drug till this layer dissolves or disperses, while the presently claimed protective layer is structured and configured to protect the drug carrying layer. In addition, US '478 disclosed two embodiments that have three layers, however, the first embodiment that is described by Figure 2 and at col.16, lines 51-60, has an adhesive layer that is not enteric polymers and its outer layer is not protective because is dissolves and not attached to the adhesive layer. The second embodiment is described in figure 9 and col.22, lines 4-20, and has a water-soluble layer located between an adhesive layer and a drug-containing layer, thus having no protective function. With regard to US '105, the reference teaches a substrate layer, which the examiner interpreted as protective layer, is coated with the active agent containing layer which is coated by the enteric polymer, i.e. the substrate is not a protective layer because it is in the middle and not attached to the outer layer. Thus, the claims as amendment are not anticipated or obvious over any of US '478 or US '105.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 09/831,901

Art Unit: 1615

3. Claims 1-8, 10-18, 20, 21, 23-25 are allowed.

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Isis Ghali whose telephone number is (571) 272-0595.

Page 4

The examiner can normally be reached on Monday-Thursday, 7:00 to 5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thurman Page can be reached on (571) 272-0602. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Isis Ghali Examiner Art Unit 1615

IG

Juis Ghah.
4/17/06